Human factor: the bridge to a successful intervention in MTO (Make-To-Order) manufacturing environment

Aquila Yeong (aquila.yeong@ntu.ac.uk) Nottingham Business School, Nottingham Trent University

Roy Stratton (roy.stratton@ntu.ac.uk) Nottingham Business School, Nottingham Trent University

Abstract

This paper aims to demonstrate how human factor played an essential role in the design and implementation of a production planning and control (PPC) system to improve a company's operating performance. Although various operations management (OM) concepts, tools and techniques have been introduced by academia, the disconnection between academia and actual practice is still apparent. The importance of 'contextual knowledge' in introducing an intervention refers not only to the 'technical', but also to the 'socio' aspect of the system. Balance is achieved by considering the 'fit' between OM concepts and technology, as well as the human/social and organisational aspect in introducing a practical PPC system.

Keywords: human factor, production planning and control, S-DBR

Introduction

In the field of Operations Management (OM), there is a shift in research focus to highlight the important role of 'contextual knowledge' in implementing OM 'best practices'. Various OM 'best practices' have been developed and now proliferate, such as TQM (Total Quality Management), Lean Management (Womack et al., 1990) and Theory of Constraints (Goldratt and Cox, 1984). The mixed results in the linkage between adoption of 'best practice' and operation performance improvement has prompted researchers to issue caution against blindly 'copying' best OM practice with the intention of achieving 'world-class performance' (Done et al., 2011; Schmenner and Swink, 1998; Stevenson et al., 2005). The importance to identify and understand the underpinning philosophies, theories, laws, and assumptions of OM 'best practices' has also been emphasised (Boer et al., 2015; Done et al., 2011; Hayes and Pisano, 1994; Hopp and Spearman, 2004). Acknowledging the heterogenic nature of businesses, the alignment between 'best practices' and 'contextual dependencies' has increasingly become the focus of research (Sousa and Voss, 2008; Voss, 1995; 2005). However, the 'contextual' element advocated has not explicitly stress the importance of human factor. As highlighted by McLean et al. (2017), continual improvement is key to all these developments and most of the continuous improvement efforts either failed or fall short of meeting targets. A common 'thread' among the factors highlighted in their review is 'human factor'. This paper, by reflecting on a recent successful implementation of a production planning and control (PPC) system in a small MTO manufacturing company, aims to demonstrate how 'human factor' is the corner stone to this success. This paper begins by providing a critical review of the role of 'human factors' in the implementation of PPC. This is followed by a discussion on the research methodology/design adopted. Based on the research data, the important role of 'human factors' is analysed and discussed. In the conclusion the contribution of this research and possible directions for future research will be highlighted.

Who Decides: PPC or People?

With the advancement in technology, PPC concepts can be realised by embedding scheduling heuristics and algorithms in computer-based devices. However, ignoring 'human factors' in the development of PPC is a critical omission (Crawford, 2001; McKay, 2001). While it is acknowledged that PPC fundamentally utilises mathematical models to substantiate rational decision-making and system optimization, it is argued that these generalised algorithms are not necessarily applicable in all ostensibly similar environments (Brocklesby, 2016; Mokotoff, 2001; Stochhecker et al., 2016). As described by MacCarthy and Wilson (2001), ultimately, it is the 'people' who run the shop floor, make things happen, and reap the fruit of their work. It is argued that problems encountered on the shop floor are not discrete nor static and cannot be solved by optimising algorithms on their own. Rather, the problems are seen as 'dynamic processes' which requires 'people' to manage them over time. Placing the question in another way: who bears the consequence of decision made: PPC or 'people'? It is obvious, given the context of today's world, it is 'people' who reap the fruit of the decision making. If 'people' are the ultimate recipient of the decision made, it is argued that PPC is perceived as successfully implemented if it provides positive benefits to 'people' and vice versa. On this basis, it is necessary to develop PPC into a 'tool' to assist 'people' in making decisions. This is supported by calls to develop PPC into a decision support tool with the synergy of both 'technology' and 'people' factors (Arica et al., 2016; Higgins, 2001; Jackson et al., 2004; McKay and Buzacott, 2000).

PPC as a Decision Support Tool

Although both PPC (theoretical) and 'people' (practitioner) make scheduling decisions, it is argued that PPC merely makes decision based on simple quantitative measures and algorithmic procedures (Higgins, 2001). In contrast, 'people' regards the decision making process as a social activity, an interaction of complex values and goals within the system of people which might affect themselves. From an empirical study, Jackson et al. (2004) found three common roles of human in PPC: (i) interpersonal role: 'developing interpersonal networks, informal bargaining, friendship and favour network and mediation', (ii) informational role: 'as information hub, filtering information to the shop floor, and ensuring that information is accessible and visible' and (iii) decision making role: 'problem prediction and problem solving, interruption handling, and resource allocation'. Thus, in developing PPC as a decision support tool, it needs to be able to support these human roles within PPC. A guideline consists of four design aspects has been proposed: (i) level of support, (ii) transparency, (iii) autonomy, and (iv) information presentation (Wiers and van der Schaaf, 1997; Wiers, 2001). Other than achieving an improved operating performance on the shopfloor, the decision support tool has a wider implication in the business process, acting as the interface between sales/marketing (presales) and production (post-sales) which is particularly important to MTO companies (Berglund et al., 2011; Schragenheim and Dettmer, 2000; 2009; Stevenson, 2006).

Level of Support

PPC developments need to support 'people' rather than the other way around (Higgins, 2001; McKay, 2001). Instead of seeing PPC as a potential threat of replacing 'people'

(Tarafdar and Gordon, 2007), Wiers (2001) suggested the sharing of responsibility between 'people' and the decision support tool. It is also suggested that a proper division of functions is able to improve worker empowerment, quality leadership and human coordination (Slomp, 2001; Wilson, 2003). This could be done by identifying the routine and non-routine elements on shop floor (Fransoo and Wiers, 2006; Mckay and Buzacott, 2000). With this, PPC is anticipated to process tasks which require manual skills and abilities. Humans would focus on tasks which requires tacit knowledge and mental interpretive skills and abilities (Slomp, 2001).

Transparency

As described by McKay (2001), the tool has to reflect the contextual problem on hand. In addition, the logic (or assumption) used by PPC to arrive at proposed decision has to be simple enough for 'people' to intuitively understand. The decision support tool should not create additional complexity for the users (Gasser et al., 2011). To avoid falling into this trap, Wiers (2001) has encouraged the active involvement of 'people' in co-developing the algorithm. This process is indeed a challenge, as highlighted by Crawford (2001), in capturing the 'tacit knowledge' hidden within the daily routine of 'people', filtering and analysing them, before converting the generic patterns into heuristic algorithms to support PPC decision making.

Autonomy

As a decision supporting tool, it needs to support the activities within the individual's area of autonomy, so enabling them to take control in making decisions (McKay, 2001). This may require higher management clarifying the boundaries associated with the management role at various (both vertical and horizontal) control points within the company's business process flow (Harvey, 2001).

Information Presentation

As described by Wiers (2001), this is a 'key factor' of an effective human-computer interaction consisting of 'what' and 'how' information is presented to 'people'. In addition, it includes the human-computer interface, leading to human-computer interaction. This guides, stimulates, and advances their decision making capabilities over time without interfering with their perception (Higgins, 2001).

PPC with a human-centred architecture

Seeing the importance of human factors within PPC as well as business in a whole, particularly as an intermediary between real world of manufacturing and abstract world of operations research (Higgins, 2001), this paper reflects upon how 'human factors' enabled the successful implementation of a PPC into a decision support tool in a small MTO company. The PPC is based on S-DBR (Simplified Drum-Buffer-Rope), a PPC application based on the Theory of Constraints philosophy (Schragenheim and Dettmer, 2000; 2009). Although some aspects such as '*Constraint Management*' (Gupta and Boyd, 2008) is widely discussed, other important aspects such as '*Buffer Management*' are not and this is a particular focus of this research. The simplified approach of using 'time' as a leverage point is also highlighted by McKay (2001): '*time and the meaning of time is the essence of scheduling in the real world*'. In addition, the simple representation of work priority with colour coding in '*Buffer Management*' will also be demonstrated.

Design/methodology/approach

This paper is in part the output of a DBA (Doctoral in Business Administration) study where the researcher is a practitioner in a make-to-order (MTO) manufacturing environment. As a practitioner, the researcher has been tasked by the management to introduce a PPC intervention to improve Company A's operating performance. In order to understand the contextual environment including the customs and habits of people where McKay, 2001 highlighted the need to be 'seen as one of them'. He argued it is necessary 'to sit, observe, and work with the dispatchers and schedulers on a daily base' to gain an 'intimate knowledge of the plant, products and processes'. As an engaged scholar, the researcher should capture the knowledge generated throughout the intervention process. Action Research (AR) was chosen as the most appropriate research approach to carry out the emergent enquiry process which encompasses both the 'technical' and 'socio' aspects (Coughlan and Coghlan, 2016; Shani et al., 2008). This research is divided into three main phases, over-arched by the AR meta-cycle: pre-change (determine context and purpose, constructing and planning action), in-change (taking action), and post-change (evaluating action). Data was collected via formal and informal meetings/discussions, job shadowing, observation of actual practice, direct communication with people, and company archival data (Bendoly et al., 2010; Crawford, 2001; McKay, 2001). The generic S-DBR guide for practitioners is used to inform the 'technical' part of the PPC. The 'soft'/'socio' part of the PPC will be guided by the four design aspects of the decision support tool discussed in the literature review.

Findings

Manufacturing Environment

This company is a rotational-moulding plastic product manufacturer who has been in the industry for over forty years. There is no dedicated production line, resources are heavily shared and the production process is labour intensive. The simplified process diagram is as shown in Figure 1 below. Although the company uses Sage with a bespoke manufacturing module, the function of the manufacturing module was restricted to generating paper job tickets to the shop floor. There were no digital means of communication between shop floor and the other departments except by physically visiting the premise. Production is only started upon receipt of firm orders and the plastic products produced are based on a standard range of product design offered, known as the 'base unit'. Based on the selected base unit, customers are offered a range of sixteen colours. In addition, customers are able to customise their moulds using mould-in graphics. The customised features and acceptance of small order quantities provides a unique service in the market. Some of the issues faced by the company are discussed in Table 1 below. The remainder of this section will begin by analysing the role of the production manager, using the three roles discussed in literature review. This is followed by a demonstration of how PPC is developed according to the four design aspects identified in previous section.



Figure 1: Simplified Production Process in Company A

Table 1: Summary of Issues identified in Company A

	Standard Practice	Description	Undesired Effects (UDEs)
Pre-Sales	 Customer Enquiry Stage: Standard industrial lead time is quoted Exceptional cases such as large quantity or with particular customised features will be discussed between shop floor, sales/marketing, and purchasing before deciding on a most probable delivery date (often based on experience) 	 As management's attention is only triggered on exceptional cases, this causes accumulation of small quantity orders on similar products by different customers to evade management's attention. For example, an order of hundred units will immediately catches the management's attention, but not twenty five orders of four units. Some of the products, though being named differently, uses similar resources on the shop floor, for example the mould. Other than causing unrealistic due date to be quoted, it also causes the emergence of critical capacity resources (CCR). 	 Unrealistic due date quoted Causing critical capacity resources (CCR) to form unknowingly Too late for management to response
Post-Sales	 Similar products are being accumulated and produced, reducing setup time Office will only be notified upon work order completion A practice where each work centre will work towards the 'shop floor accepted production time'. 	 All production related matters are decided by production manager The production manager has been managing well with his abundance of tacit knowledge. However, the process is manual, providing no visibility to others. 'Shop floor accepted production time' adopted in each department has 'buffer time' allocated to them individually. Parkinson's Law exist where jobs tend to automatically 'spread' to consume the buffer time unnecessarily. This often cause job priority to be masked. 	 Missed due date Hidden capacity resources Not able to deploy buffer capacity in time Buffer time is wasted Issue of succession and knowledge dissemination Reactive and fire- fighting production management

Interpersonal Role

As the production process is labour intensive, the production manager, holding the responsibilities of production planning, scheduling, and control has to rely on his network to get things done. At the beginning of each day, shop floor personnel generally arrive slightly earlier to spend time socialising. Personnel might complain about health or personal issues, which might hinder work performance. Production manager will reallocate job tasks and resources accordingly. This informal network allows production manager to gather informal information to complement decision making. The show of empathy will earn favours in return, for example in negotiating to work overtime when the need arises. Other than within the shop floor, the production manager also maintains intra-department network. For example, information from sales about potential new work orders can be useful for decision making. In exchange, sales might get favour to informally expedite jobs if necessary.

Informational Role

As all production related information was held by production manager, he was the 'go to' person for all levels within the company. Both formal and informal information is filtered, processed, and reflected in the decisions made. For example, after a job ticket was received, the production manager used his knowledge to 'visualise' the number of 'parts' to be produced, the necessary resources required to produce the 'parts', and the 'time' available to produce them. An estimated completion date was worked out but the job ticket status could only be known by checking with the production manager as other shop floor personnel only had the information on what to be produced, and not which jobs they were fulfilling. Upon assigning a job to a machine, the progress of each machine was updated daily by communication to the production manager, where he would mark them on respective job ticket. Other production related issues, for example machine breakdown, product defect, machine configuration and setup, were all channelled to the production manager for directive on next course of action.

Decision Making Role

The above discussed roles, bothinterpersonal and informational, enabled the production manager to carry out his decision making role, which mainly centred on job release, job prioritisation and resource control. At the beginning of each day, decision making starts by allocating resources based on availability (particularly human resource). Being the most experienced personnel (with tacit knowledge) on the shop floor, together with the use of his network and gathered information, the Production Manager established his reputation and garnered trust from the shop floor to make the most appropriate decision. This included recommendation to activate capacity resources, such as additional machineries or additional shifts.

Development of PPC into a Decision Support Tool

The development of PPC into a decision support tool is illustrated in *Table 2 below*, bringing together the perspectives from both the 'Role' and 'Design aspects'. Agile software development was adopted throughout the process, involving daily one-to-one training and job shadowing in order to capture the flow of thought of the Production Manager, as well as to improve human-computer interfaces. The illustration on how priority of a work order is obtained is shown in *Figure 2* below. This priority is the common priority observed by the whole company. An example is shown in *Figure 3* below.

	Level of Support	Transparency	Autonomy	Information Presentation
Interpersonal	 Should not be adding complexity and burden to existing workload Facilitate communication 	Support personnel performance evaluation	 Encourage team work Allow higher management to provide empowerment 	
Informational	 Information on all job tickets in hand (In-Progress and In-Queue) Auto-resource allocation (under normal condition) Resource Utilisation Workload per Standard Industrial Lead Time Job Ticket Priority Due date for confirmed orders to be based on current system loading Job ticket status and progress Allow proposed due date to be enquired based on current system loading Allowed centralised work order information to be captured and shared on single platform by all departments 	 Easy to understand PPC principles: <i>Time Buffer Management</i> for job priority User defined Resource Loading algorithm User defined Performance Target User defined touch time (rough cut actual time worked on an item) Product related Information/knowledge can be easily updated and proliferated 	 Allow manipulation of capacity options/variables to simulate outcome: Machines deployed Machine performance Additional mould deployment Batch size Information source traceability 	
Decision Making	 To <i>Prioritise</i> To <i>Expedite</i> To <i>Escalate</i> if need higher management's attention To <i>Target</i> areas requiring continuous improvement 	Allow final resource assignmentAllow rescheduling		

Table 2: Key Points Identified in the Development of a PPC Decision Support Tool for Company A



Figure 2: Illustration on Work Order having priority of 'Yellow'

1641 RED Calour 12 10/L1/2017 09/L1/2017 10 MTO Image: Calour ca	ile Settings	Module View About														
Production Priority Product No Roussing Priority Product No Roussing Status Order Mo Assembly Output Others Assembly Output Others Assembly Output Others Mount Order Mo Others Mount Order Mo Others Mount Order Mo Mount Arms/Position Arms/Position <t< th=""><th></th><th>Production Finishing Preview Cyr</th><th>cle aliser</th><th>[] Info</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></t<>		Production Finishing Preview Cyr	cle aliser	[] Info												
Normeria Prod Assembly Q.P. DeliveryDate Est, Fin.Date BP Order Mode Update 16430 RED Colour 12 2011/2017 99/11/2017 10 MTO Mode Update MCHINE Update Update Update Update Update ArmI/Position Immunor Immunor Immunor Immunor <t< th=""><th>A .</th><th></th><th></th><th></th><th>earch By</th><th>Contentio</th><th></th><th></th><th></th><th>STATUS</th><th></th><th>QUANTITY</th><th></th><th>PERSONNEL</th><th></th></t<>	A .				earch By	Contentio				STATUS		QUANTITY		PERSONNEL		
PROGRESS: Window User window User window User window 1940 Prod Assembly Q.P. DelveryDate St. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017. 10/11/2017.	Pro Pro	Y Y				_				Current		Ordered		Current		
Victor OutsomerName Prod Assembly Q.P. DeliveryDate Est, fin_Date BP Order MACHINE Update MOULD Cable 1641 RLD Colour 5 10/11/2017 0/11/2017 10 MTO< MTO	PROGRESS	Assembly SubTota	al	ba	0% 36.03	5% <mark>9.3%</mark>	28.4	9% 2	26.16%	Update		Made		Update		
1641 RED Colour 12 10/11/2017. 9/11/2017. 10/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0/11/2017. 0	rderN C	ustomerName Prod	Assembly	Q_P	DeliveryDate	Est_Fin_Date	BP	Order	Mo			Undate	*	MOULD	CAPACITY	
16243 5 10/11/2017_ 07/11/2017_ 77. MTO_ 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 <td>1641</td> <td>RED Colour</td> <td></td> <td>12</td> <td>10/11/2017</td> <td>09/11/2017</td> <td>10</td> <td>MTO</td> <td></td> <td>MACHINE</td> <td></td> <td colspan="2"></td> <td>moore</td> <td>Options</td>	1641	RED Colour		12	10/11/2017	09/11/2017	10	MTO		MACHINE				moore	Options	
16480 YELLOW Colour 1 17/11/2017. 07/11/2017. 32. MTO. Arm2/Position 16490 CREEN Colour 20 22/11/2017. 0/11/2017. 11. MTO. Arm2/Position 16491 20 22/11/2017. 0/11/2017. 11. MTO. Arm2/Position 16487 BLUEColour 1 20/11/2017. 0/11/2017. 10. MTO. Arm2/Position QUEU: CustomeName Prod Asembly Q.P. DelveryDate Sts Fin Date MTO. Arm2/Position 496 RED Colour 8 12/11/2017. 0/11/2017. 83. MTO. Arm2/Position 4851 YELLOW Colour 8 10/11/2017. 0/11/2017. 83. MTO. Arm3/Position 4842 YELLOW Colour 3 17/11/2017. 0/11/2017. 44. MTO. Arm3/Position 485 GREEN Colour 2 12/11/2017. 0/11/2017. 44. MTO. Arm3/Position 489 GREEN Colour 1 2/11/2017. 0/11/2017. 44. MTO. Arm3/Posit	16245			5	10/11/2017	07/11/2017	77	MTO				Last Opdate			options	
16490 GREEN Colour 1 1/11/2017 0/11/2017 1 MTO 16493 GREEN Colour 2 2/11/2017 1 MTO 1 16497 BLUEColour 1 2/11/2017 1 MTO 1 16497 BLUEColour 1 2/11/2017 0/11/2017 1 MTO 16497 BLUEColour 1 2/11/2017 0/11/2017 0/11/2017 1 QUEUE CustomerName Prod Assembly Q.P DelveryDate Est Fin Date BP Order Mo 5463 REE Colour 8 1/11/2017 0/11/2017 82 MTO Mo 5485 YELLOW Colour 8 1/11/2017 0/11/2017 83 MTO 5485 YELLOW Colour 3 1/11/2017 0/11/2017 84 MTO 5485 3 1/11/2017 0/11/2017 44 MTO Arm3/Position 5485 3 1/11/2017 0/11/2017 44 MTO Arm3/Position 5485 3 1/11/2017 0/11/2017 44 MTO Arm3/Position 5485				- 37	17/11/2017	13/11/2017	77	MTO		_						
16455 CKLIX Colour 27 23/11/2017 10/11/2017 11. MTO 16487 BLUEColour 1 20/11/2017 0/11/2017 0 MTO QUEUE:		YELLOW Colour		1						Arm1/Position	1					
Ideal BLLEColour 1 20/11/2017_ 07/11/2017 0 MTO_ MTO_ Queue CustomerName Prod Assembly Q.P. DeliveryDate Est Fin Date BP Order_ MTO_ MTO_ <th></th> <th>GREEN Colour</th> <th></th> <th>20</th> <th></th>		GREEN Colour		20												
QUEUE: Arm2/Position Gene 1 13/11/2017 07/11/2017 77 MO Arm2/Position 5496 1 16/11/2017 07/11/2017 82 MO Arm2/Position 5496 1 16/11/2017 07/11/2017 83 MO Arm3/Position 5496 3 17/11/2017 08/11/2017 33. MO Arm3/Position 5482 3 17/11/2017 08/11/2017 44. MO Arm3/Position 5485 3 17/11/2017 08/11/2017 41. MO Arm3/Position 5489 GREEN Colour 2 12/11/2017 08/11/2017 41. MO Arm3/Position 6485 1 12/11/2017 08/11/2017 11. MO Arm3/Position				27												
QUEUE: Customer Name Prod Assembly Q.P., DeliveryDate Est Fin Date BP Office M 6496 RED Colour 8 1/1/2017. 07/1/2017. 33. MTO 6485 YELLOW Colour 8 1/1/2017. 08/11/2017. 33. MTO Arm3/Position 6482 3 1/1/2017. 08/11/2017. Arm3/Position 6482 Caller Colsure 2 2/1/1/2017. MTO Arm3/Position 6482 Caller Colsure 2 2/1/1/2017. MTO Arm3/Position 6485 Colspan="2" 2/1/1/2017. MTO Arm3/Position 6485 Colspan="2"	16487	BLUEColour		1	20/11/2017	07/11/2017	0	MTO			-					
QUEUE: CustomerName Prod Assembly Q.P. DeliveryDate Est Fin Date BP Order: Mo S496 Prod S497 O/11/2017 7/11/2017 7/11/2017 MO Arm3/Position S485 YELLOW Colour 8 7/11/2017 8/11/2017 3. MO Arm3/Position S485 3 1 3/11/2017 8/11/2017 Arm3/Position S485 Colspan="2">Arm3/Position GREEN Colsur 2 2/11/2017 8/11/2017 Arm3/Position S485 Colspan="2">Arm3/Position GREEN Colsur 2 2/11/2017 NO Arm3/Position S485 Colspan="2" 2/11/2017 <th colspa="</td"><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th>	<td></td>															
QUEUE: CustomerName Prod Assembly Q.P. DeliveryDate Est Fin Date BP Order: Mo S496 Prod S497 O/11/2017 7/11/2017 7/11/2017 MO Arm3/Position S485 YELLOW Colour 8 7/11/2017 8/11/2017 3. MO Arm3/Position S485 3 1 3/11/2017 8/11/2017 Arm3/Position S485 Colspan="2">Arm3/Position GREEN Colsur 2 2/11/2017 8/11/2017 Arm3/Position S485 Colspan="2">Arm3/Position GREEN Colsur 2 2/11/2017 NO Arm3/Position S485 Colspan="2" 2/11/2017 <th colspa="</td"><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th>	<td></td>															
ActivationerName Prod Assembly Q_P DeliveryDate Est Fin Date EP Order Mo Stat RED Colour B 2011/2017 MO MO MO Stat 1 16/1/2017 0/1/1/2017 33 MO MO Stat 1 16/1/2017 0/1/1/2017 33 MO MO Stat 1 17/1/2017 0/1/1/2017 34 MO MO Stat 1 17/1/2017 0/1/1/2017 44 MO MO Stat 1 2/1/1/2017 0/1/1/2017 41 MO MO Stat 1 1/1/1/2017 0/1/1/2017 44 MO MO Stat 1 2/1/1/2017 0/1/1/2017 41 MO MO Stat 1 1/1/1/2017 0/1/1/2017 41 MO MO Stat 1 2/1/1/2017 0/1/1/2017 44 MO MO Stat 1 2/1/1/2017 0/1/1/2017 41 MO MO Stat 1 2/1/1/2017 0/1/1/2017 1 MO MO										Arm2/Position	>					
Steps RED Colour 8 12/11/2017 07/11/2017 77 MTO Image: Colour for the state of the state	•															
496 1 16/11/2017_ 07/11/2017_ 33 MTO 1 485.1 YELLOW Colour 8 1/11/2017_ 08/11/2017_ 33 MTO 1 484.2 3 17/11/2017_ 08/11/2017_ 44 MTO 44 485 3 17/11/2017_ 69/11/2017_ 44 MTO 44 489 GREEN Colour 2 2/1/11/2017_ 08/11/2017_ 41 MTO 489 GREEN Colour 2 2/1/11/2017_ 01/11/2017_ 41 MTO			Assembly	1.00			_		Mo ^							
Section 8 17/11/2017_ 08/11/2017_ 33. MTO 34842 3 17/11/2017_ 07/11/2017_ 44. MTO Arm3/Position 4885 3 17/11/2017_ 08/11/2017_ 44. MTO Arm3/Position 489 GREEN Colour 2 2/11/2017_ 08/11/2017_ 11. MTO 4985 1 24/11/2017_ 08/11/2017_ 11. MTO MTO		KED Colour									-					
State 3 17/11/2017_ 07/11/2017_ 44_ MTO Arm3/Position 485 3 17/11/2017_ 08/11/2017_ 44_ MTO Arm3/Position 489 GREEN Colour 2 21/11/2017_ 08/11/2017_ 44_ MTO 489 GREEN Colour 2 21/11/2017_ 08/11/2017_ 11_ MTO 495 1 24/1017_ 07/11/2017_ 0 MTO MTO		YELLOW Colour		-					-							
485 3 1/11/2017_ 08/11/2017_ 44_MTO 489 GREN Colour 2 2/11/2017_ 08/11/2017_ 11_MTO 495 1 24/11/2017_ 08/11/2017_ 0 MTO										[
GREEN Colour 2 2/1/1/2017 08/1/2017 11 MTO /4985 1 24/11/2017 08/11/2017 0 MTO				-						Arms/Position						
54985 1 24/11/2017 08/11/2017 0 MTO		CONTRA L														
		GREEN Colour		2												
64986 1 24/11/2017 09/11/2017 0 MTO	64985			1		08/11/2017										

Figure 3: An example on how priority of jobs are displayed

A year after implementation of the system, in year 2017, in spite of experiencing the highest sales since year 2012, the company was able to achieve more than 90% of due date performance without deployment of additional shifts. Increased empowerment happened on the shop floor together with a 'new culture' involving stronger team work and lesser intervention from management. Shop floor personnel are encouraged to make informed decisions and as a personnel commented: 'You have given us a tool, not a toy. We are workers and we appreciate the use of tool as it helps us to work more efficiently'.

Conclusion

This research demonstrates the significance of 'human factors' in both the design and implementation stages of a PPC OM intervention. This research demonstrates the need for both fundamental OM concept which involve rationale mathematical modelling but also the practical understanding of how 'human factors' provide contextual knowledge that enables the introduction of a practical OM intervention unique to each organisation. By explicitly acknowledging the role of 'human factors', the PPC introduced and developed went beyond conventional PPC in providing a decision support tool well integrated into the daily work routine of the company. Although Crawford and Wiers (2001) consider human factors has been acknowledged as an essential element by both academia and practitioners, the contradicting implementation results by MacLean et al. (2017) warrants further research. In order for universities to increase relevancy in contributing towards both academia and practitioners, it is recommended that more OM research to be conducted using AR. By having '*resident*' rather than '*tourist*' company information, universities arguably stands a better position to provide a practical PPC solution.

References

- Arica E., Haskins, C. and Strandhagen, J.O. (2016), "A framework for production rescheduling in sociotechnical manufacturing environments", *Production Planning & Control*, Vol. 27, No. 14, pp. 1191-1205.
- Bendoly, E., Donohue, K. and Schultz, K.L. (2006), "Behavior in operations management: Assessing recent findings and revisiting old assumptions", *Journal of Operations Management*, Vol. 24, pp. 737-752.
- Bendoly, E., Croson, R., Goncalves, P. and Schultz, K. (2010), "Bodies of Knowledge for Research in Behavioral Operations", *Production and Operations Management*, Vol. 19, No. 4, pp. 434-452.
- Boer, H., Holweg, M., Kilduff, M., Pagell, M., Schmenner, R., and Voss, C. (2015), "Making a meaningful contribution to theory", *International Journal of Operations & Production Management*, Vol. 35, Iss. 9, pp. 1231-1252.
- Brocklesby, J. (2016), "The what, the why and the how of behavioural operational research An invitation to potential sceptics", *European Journal of Operational Research*, Vol. 249, pp. 796-805.
- Burglund, M. and Karltun, J. (2007), "Human, technological and organizational aspects influencing the production scheduling process", *International Journal of Production Economics*, Vol. 110, pp. 160-174.
- Crawford, S. and Wiers, V.C.S. (2001), "From Anecdotes to Theory: A Review of Existing Knowledge on Human Factors of Planning and Scheduling". *In:* MacCarthy, B.L. and Wilson, J.R. (Ed.), *Human Performance in Planning and Scheduling*. London: Taylor and Francis, pp.15–43.
- Crawford, S. (2001), "Making Sense of Scheduling: The Realities of Scheduling Practice in and Engineering Firm". In: MacCarthy, B.L. and Wilson, J.R. (Ed.), Human Performance in Planning and Scheduling. London: Taylor and Francis, pp. 83–104.
- Coughlan, P., and Coghlan, D. (2016), "Action Research". In: Karlsson, C. (Ed.), Research Methods for Operations Management. 2nd Ed. New York: Routledge, pp. 233-267.
- Davis. M.C., Challenger, R., Jayewardene, D.N.W. and Clegg, C.W. (2014), "Advancing socio-technical systems thinking: A call for bravery", *Applied Ergonomics*, Vol. 45, pp. 171-180.
- Done, A., Voss, C., and Rytter, N.G. (2011), "Best practice intervention: Short-term impact and long-term outcomes", *Journal of Operations Management*, Vol. 29, pp. 500-513.
- Gasser, R., Fischer, K. and Wafler, T. (2011). "Decision Making in Planning and Scheduling: A Field Study of Planning Behaviour in Manufacturing". *In:* Fransoo, J.C., Wafler, T. and Wilson, J. (Ed.), *Behavioral Operations in Planning and Scheduling*. Berlin: Springer. pp. 3-10.
- Gino, F. and Pisano, G. (2008), "Toward a Theory of Behavioral Operations", *Manufacturing and Service Operations Management*, Vol. 10, No. 4, pp. 676-691.
- Goldratt, E.M. and Cox, J. (1984), The Goal, Routledge, New York: USA.
- Gupta, M.C. and Boyd, L.H. (2008), "Theory of constraints: a theory for operations management", International Journal of Operations & Production Management, Vol. 28, Iss. 10, pp. 991-1012.
- Harvey, H. (2001), "Boundaries of the Supervisory Role and their Impact on Planning and Control", *In:* MacCarthy, B.L. and Wilson, J.R. (Ed.), *Human Performance in Planning and Scheduling*. London: Taylor and Francis, pp.105–133.
- Higgins, P.G. (2001), "Architecture and Interface Aspects of Scheduling Decision Support". In: MacCarthy, B.L. and Wilson, J.R. (Ed.), Human Performance in Planning and Scheduling. London: Taylor and Francis, pp. 245-279.
- Jackson, S., Wilson, J.R. and MacCarthy, B.L (2004), "A New Model of Scheduling in Manufacturing: Tasks, Roles, and Monitoring", *Human Factors*, Vol. 46, No.3, pp. 553-550.
- MacCarthy, B.L., Wilson, J.R. and Crawford, S. (2001), "Human Performance in Industrial Scheduling: A Framework for Understanding", *Human Factors and Ergonomics in Manufacturing*, Vol. 11, No. 4, pp. 299-320.
- MacCarthy, B.L. and Wilson, J.R. (2001), "The Human Contribution to Planning, Scheduling and Control in Manufacturing Industry – Background and Context". *In:* MacCarthy, B.L. and Wilson, J.R. (Ed.), *Human Performance in Planning and Scheduling*. London: Taylor and Francis, pp. 3–14.
- McKay, K.N. and Buzacott, J.A. (2000), "The application of computerized production control systems in job shop environments", *Computer in Industry*, Vol. 42, pp. 79-97.
- McKay, K.N. (2001), "Lessons from the Factory Floor". *In:* MacCarthy, B.L. and Wilson, J.R. (Ed.), *Human Performance in Planning and Scheduling*. London: Taylor and Francis, pp.45–64.
- McLean, R.S., Antony, J. and Dahlgaard, J.J. (2017), "Failure of Continuous Improvement initiatives in manufacturing environments: a systematic review of the evidence", *Total Quality Management & Business Excellence*, Vol. 28, No.3, pp.219-237.

- Mokotoff, E. (2001), "Parallel Machine Scheduling Problems: A Survey", Asia-Pacific Journal of Operational Research, Vol. 18, No. 2, pp.193-242.
- Romero-Silva, R., Santos, J. and Hurtado, M. (2015), "A framework for studying practical production scheduling", *Production Planning & Control*, Vol. 26, No. 6, pp. 438-450.
- Schmenner, R.W. and Swink, M.L. (1998), "On theory in operations management", Journal of Operations Management, Vol. 17, pp. 97-113.
- Schragenheim, E. and Dettmer, H.W. (2000), *Manufacturing at warp speed: optimizing supply chain financial performance*, CRC Press, Boca Raton, FL.
- Schragenheim, E., Dettmer, H.W., and Patterson, J.W. (2009), *Supply chain management at warp speed: Integrating the system from end to end.* CRC Press, Boca Raton, FL.
- Shani, A.B. (Rami), Mohrman, S.A., Pasmore, W., Stymne, B., and Alder, N. (2008), *Handbook of collaborative management research*. Thousand Oaks, CA: Sage.
- Slomp, J. (2001), "Human Factors in the Planning and Scheduling of Flexible Manufacturing Systems". *In:* MacCarthy, B.L. and Wilson, J.R. (Ed.), *Human Performance in Planning and Scheduling*. London: Taylor and Francis, pp. 179-197.
- Sousa, R. and Voss, C.A. (2008), "Contingency research in operations management practices", *Journal of Operations Management*, Vol. 26, pp. 697-713.
- Stevenson, M., Hendry, L.C., and Kingsman, B.G. (2005), "A review of production planning and control: the applicability of key concepts to the make-to-order industry", *International Journal of Production Research*, Vol. 43, No. 5, pp. 869-898.
- Stevenson, M. (2006). "Refining a Workload Control (WLC) concept: a case study". International Journal of Production Research, Vol. 44, No. 4, pp. 767-790.
- Strohhecker, J., Hamann, M. and Thun, H. (2016), "Loading and sequencing heuristics for job scheduling on two unrelated parallel machines with long, sequence-dependent set-up times", *International Journal* of Production Research, Vol. 54, No. 22, pp. 6747-6767.
- Tarafdar, M. and Gordon, S.R. (2007), "Understanding the influence of information systems competencies on process innovation: A resource-based view", *Journal of Strategic Information System*, Vol. 16, pp. 353-392.
- Voss, C.A. (1995), "Operations Management from Taylor to Toyota and beyond?". British Journal of Management, Vol. 6, Special Issue, pp.17-29.
- Voss, C.A. (2005), "Alternative paradigms for manufacturing strategy". International Journal of Operations & Production Management, Vol. 25, No. 12, pp. 1211-1221.
- White, L. (2016), "Behavioural operational research: Towards a framework for understanding behavior in OR interventions", *European Journal of Operational Research*, Vol. 249, pp. 827-841.
- Wiers, V.C.S. and van de Schaaf, T.W. (1997). "A framework for decision support in production scheduling tasks", *Production Planning and Control*, Vol. 8, No. 6, pp. 533-544.
- Wiers, V.C.S. (2001), "Design of a Knowledge-based Scheduling System for a Sheet Material Manufacturer", *In:* MacCarthy, B.L. and Wilson, J.R. (Ed.), *Human Performance in Planning and Scheduling*. London: Taylor and Francis, pp. 201-215.
- Wilson, J.R. (2003). "Support of opportunities for shopfloor involvement through information and communication technologies", AI & Society, Vol. 17, No. 2, pp. 114-133.